

KOROBOVA, N.I.

Age of biotite granites in the Taymyr Peninsula. Dokl. AN SSSR  
160 no.3:684-686 Ja '65. (MIRA 18:3)

1. Institut geologii i geofiziki Sibirskogo otdeleniya AN SSSR.  
Submitted June 8, 1964.

KOROBOVA, N.I.

Metamorphic shales containing ilmenite of the Taymyr Peninsula.  
Dokl. AN SSSR 162 no.1:183-185 My '65. (MIRA 18:5)

1. Submitted December 7, 1964.

KOROBOVA, Nina Mikhaylovna; VITUSHKIN, B.I., red.; PRESNOVA, V.A.,  
tekhn. red.

[Labor productivity in agriculture and ways for increasing it]  
Proizvoditel'nost' sel'skokhoziaistvennogo truda i puti ee po-  
vyshenija. Leningrad, Lenizdat, 1962. 60 p. (MIRA 16:2)  
(Leningrad Province--Agriculture--Labor productivity)

KOROBOVA, P.

Trade unions are the true champions of Communist Party policy.  
Sov.profsoiuz 5 no.8:1-6 Ag '57. (MLRA 10:8)

1.Sekretar' Vsesoyuznogo TSentral'nogo Soveta professional'nykh  
soyuzov.  
(Trade unions)

KOROBOVA, Polina Nikolayevna; YEREMINA, Yu.F., red.; ATROSHCHENKO, L.Ye.,  
tekhn.red.

[Role of trade unions in the development of communism] Rol'  
profsoiuzov v kommunisticheskem stroitel'stve. Moskva, Izd-vo  
"Znanie," 1959. 46 p. (Vsesoiuznoe obshchestvo po rasprostra-  
neniu politicheskikh i nauchnykh znanii. Ser.1. Iстория,  
no.29)

(MIRA 12:8)

(Trade unions)

"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824810006-2

GNEASIMOVA-NAVASHINA, Ye. N.; KOROBOVA, S. N.

Role of synergids in fertilisation. Biul. MOIP. Otd. biol. 64  
no. 5:69-76 S-0 '59. (MIRA 13:6)  
(FERTILIZATION OF PLANTS)

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824810006-2"

KOROBOVA, S.N.

Microsporogenesis and development of pollen grains in corn. Dokl.AN  
SSSR 136 no.1:233-236 Ja '61. (MIRA 14:5)

1. Botanicheskiy institut im. V.L.Komarova AN SSSR. Predstavлено  
академиком V.N.Sukachevym.  
(Corn (Maize)) (Pollen)

17 (4), 30 (1)

AUTHOR:

Korobova, S. N.

SOV/20-127-4-55/60

TITLE:

On the Course of Fertilization of Maize (Zea mays L.)

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 127, Nr 4, pp 921 - 923  
(USSR)

ABSTRACT:

There is still no uniform opinion on so important a problem as organization and role of synergides of the embryo sac and the structure of sperms and female cells of maize; the problem of the fusion of gametes was entirely neglected. However, the mitotic hypothesis of double-fertilization of plants (Ye. N. Gerasimova-Navashina (Ref 10) and others (Refs 11-13)) may serve as a key to many disconnected phenomena. From the point of view of the hypothesis mentioned the same rules hold for the fertilization process as for vegetative cells; however, they are peculiarly expressed in connection with the specific character of ontogenesis of the reproductive organs. The material used for the paper under discussion was fixed on the Kubanskaya optytnaya stantsiya (Kuban' Experimental Station) of the VIR (Vsesoyuznyy institut rasteniyevodstva (All-Union Institute of Plant Cultivation)). As is known, the sperms of maize are formed in the pollen grain as a result of the division

Card 1/3

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824810006-2

On the Course of Fertilization of Maize (Zea mays L.) SOV/20-127-4-55/60

of the spermiogenic cell (Fig 1b) (Refs 2,3,9). Thus, the state of ripe sperms has to be considered telophatic. The cytoplasm was observed by the author in the spermiogenic cell only but neither with ripe sperms in the pollen grain, nor in the embryo sac (Fig 1b). As is known, the embryo sac of maize has a typical organization (Fig 1a). One end of the synergides (as is the case with most plants) touches the micropylar arch of the embryo sac whereas the other end reaches the level of the apical end of the ovum. Usually, the polar nuclei do not fuse before fertilization. 20 - 25 hours after pollination the pollen tube reaches the embryo sac. Its content is discharged into one of the synergides whereas the other synergide remains unchanged. After passing the synergide the content of the pollen tube reaches the space between the ovum and the central cell of the embryo sac. Hence, the sperms diverge in opposite directions (according to the mitotic hypothesis because of a directed repulsion) and approach the female nuclei. The sperms do not yet have nucleoli since they are still in a telophatic state (Fig 1v). After having contacted the female nuclei the sperms dissolve the envelopes of the latter, fuse with these nuclei and assume a state of rest within them (Fig 1 g-ye).

Card 2/3

On the Course of Fertilization of Maize (*Zea mays L.*) SOV/20-127-4-55/60

Thus, the developmental cycle of the sperm is concluded. The male and the female nucleolus fuse somewhat later (Fig 1 zh). The pre-mitotic type of fertilization is typical of maize, i.e. the fusion of male and female gametes before the first division of the zygote. This seems to be a property of all grasses. There are 1 figure and 13 references, 8 of which are Soviet.

ASSOCIATION: Botanicheskiy institut im. V. L. Komarova Akademii nauk SSSR  
(Botanical Institute imeni V. L. Komarova of the Academy of Sciences, USSR)

PRESENTED: April 3, 1959, by V. N. Sukachev, Academician

SUBMITTED: April 2, 1959

Card 3/3

BATYGINA, T.B.; DOLGOVA, O.A.; KOROBOVA, S.N.

Behavior of pollen tubes in intra- and interspecific hybridization.  
Dokl. AN SSSR 136 no.6:1482-1845 F '61. (MIRA 14:3)

1. Botanicheskiy institut im. V. L. Komarova AN SSSR. Predstavлено  
академиком V. N. Sukachevym.  
(Hybridization, Vegetable)



KOROBKOVA, T. B.

PA 60T42

USSR/Medicine - Organs  
Medicine - Regeneration

Jul 1947

"Regeneration of an Organ After the Inversion of Its  
Polarity," T. B. Korobova, Second Med Inst Moscow,  
3½ pp

"Dok Akad Nauk SSSR, Nova Ser" Vol LVII, No 1

Presents experimental work carried out to verify previous  
research on heteropolar regeneration and to  
pursue more accurate study of structure of regenerates.  
Submitted by Academician I. I. Shmal'gauzen, 26 Jan  
1947.

60T42

"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824810006-2

KOROBKOVA, T. S.

"Investigation of the Lateral Regeneration of the Tail of the *Urodele*,"  
Dok. AN, 58, No. 9, 1947

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824810006-2"

KOROBOVA, T. E.

PA 77T40

USER/Medicine - Regeneration  
Medicine - Tissue, Transplantation

May 1948

"The Problem of the Possibility of Bipolar Regeneration in Vertebrate Animals," T. B. Korobova, Second Moscow Med Inst imeni I. V. Stalin, 4 pp

"Dok Ak Nauk SSSR" Vol LX, No 4

Reports subject experiments. Method used was grafting of tadpoles tails, subsequent regenerative processes being observed in vivo with magnifying glass. Length of experiments varied from 20 to 45 days. Various stages are described with sketches. Submitted 12 Feb 1948.

77T40

MAKHOVKO, V.V., professor; ZORIN, A.N.; KOROBKOVA, T.B.; KRASHEVNIKOVA, A.I.;  
LAPINA, V.P.; SMIRNOVA, Ye.I.; SUMAROKOV, N.O.; ZHEGALOV, S.B.

[Practical work in general biology for medical schools] Praktikum po  
obshchei biologii dlia medvuzov. Moskva, Medgiz, 1953. 294 p. (MLR 7:1)  
(Biology)

*Korobova, T.B.*

USSR/General Biology - Individual Development.

B-4

Abs Jour : Ref Zhur - Biol., No 8, 1958, 33383

Author : Korobova, T.B.

Inst :

Title : Data on Dependence of Placental Barrier Function on  
Its Structure.  
(Materialy k izucheniyu zavisimosti barernoy funktsii  
platsenty ot ee struktury).Orig Pub : V sb.: Probl. sovrem. embriologii. L., Un-t, 1956,  
321-323Abstract : After intravenous injection of *Staphylococcus aureus*  
and *Streptococcus pyogenes* into pregnant rabbits and  
cats at different times, the maternal organs, the fetus  
and placenta were examined. The bacteria were found in  
the fetal blood in rabbits after 3 hours, and at times  
even 50 minutes after the injection. The administration  
of *staphylococcus* at the beginning of pregnancy always

Card 1/2

16

S/169/62/000/010/012/071  
D228/D307

AUTHORS: Petrova, G.N. and Korobova, T.B.

TITLE: Magnetization of rocks at small cyclic temperature changes

PERIODICAL: Referativnyy zhurnal, Geofizika, no. 10, 1962, 13, abstract 10-84 (Byul. nauchno-tekhn. inform. N-vo geol. i okhrany nedr SSSR, no. 2 (36), 1962, 50-53)

TEXT: A new form of magnetization (cyclic magnetization) is described. It arises in a rock if this is subjected to repeated heating for several score degrees in a constant magnetic field. In this case all magnetic parameters -- the remanent magnetization  $I_n$ , the coercive force  $H_c$ , the disruptive field  $H_c'$  -- increase simultaneously. The experimental set-up causing the formation of cyclic magnetization is described, as is its physical nature. When the temperature rises, the crystallographic anisotropy constant and the magnetostriiction decrease, and the thermal motion energy also increases. The magnetostriuctive energy changes. The change in the

Card 1/2

L 17085-65 EWT(d) IJP(c)

ACCESSION NR: AR4045226

S/0271/64/000/007/B007/B007

SOURCE: Ref. zh. Avtomatika, telemekhanika i vy\*chislitel'naya tekhnika. Svodny\*y  
tom, Abs. 7B56

AUTHOR: Korobeva, V. A.

TITLE: Solution of a system of linear algebraic equations by the gradient method on  
the "Ural-2" electronic digital computer

CITED SOURCE: Sb. Programmir, i elektronika. Khabarovsk, 1963, 126-128

TOPIC TAGS: computer programming, linear algebraic equation, digital computer,  
gradient method

TRANSLATION: A detailed description is given of the solution, by means of the  
gradient method, of a system  $Ax = b$ , where  $A$  is a real nonsingular square matrix of  
order  $n$ ,  $x$  is the unknown vector, and  $b$  is the vector of the free terms. It is noted that  
the convergent process of the gradient method possesses the quality of self-correctability:  
an individual error in the calculations is not reflected in the final result, since an in-  
correct approximation may be regarded as a new initial vector. A standard program is

Card 1/2

L 17085-65

ACCESSION NR: AR4045226

developed for the solution of linear algebraic equations, using the operational memory of the computer. Equation systems to the 41-st order can be solved with this program. Bibliography with two titles. I. N.

ENCL: 00      SUB CODE: DP, MA

Card 2/2

L 55132-65 EWT(m)/EPF(c)/T/EWP(t)/EWP(j)/EPR/EWP(b) P<sub>c</sub>-l<sub>1</sub>/Pr-l<sub>1</sub>/Pa-l<sub>1</sub>/Pi-l<sub>1</sub> IJP(c)/  
RPL JD AW JW JO RM  
ACCESSION NR: AP5009947

UR/0078/65/010/004/0844/9852  
536.66:546.65:541.49+536.66:546.  
641:541.49

40  
B

AUTHOR: Korobova, V. A.; Prik, G. A.

TITLE: Thermochemistry of formation of certain rare earth and yttrium complexes  
with ethylenediaminetetraacetate.

SOURCE: Zhurnal neorganicheskoy khimii, v. 10, no. 4, 1965, 844-852

TOPIC TAGS: complex compound, heat of formation, acetic acid, rare earth element

ABSTRACT: The purpose of this investigation was to make a thermochemical study of the formation of ethylenediaminetetraacetate complexes with rare earth elements, primarily of the yttrium subgroup and also yttrium itself and a number of elements of the cerium subgroup. The accumulation of the appropriate thermodynamic data on the heat of formation of rare earth complexes enables one to obtain a complete thermodynamic characteristic of the complexation processes involving trivalent cations as well as to elucidate some of the regularities which are displayed by the rare earth elements and to make certain generalizations from the standpoint of

Card 1/4

L 55132-65

ACCESSION NR: AP5009947

the ligand field theory. The calorimeter and method used in this work have been previously described [Zhur. neorg. khim. 9, 1793 (1964); 7, 62 (1962); 8, 2099 (1963); Izv. vyssh. uchebn. zavedeniy, Khimiya i khim. tekhnologiya, 5, 13 (1958)]. The mole fraction of  $H_3EDTA^-$  and  $H_4EDTA$  produced at the end of the reaction were calculated by the Bierrum method. The formation of rare earth EDTA complexes leads to significant exothermic effects which are comparable in magnitude to the thermal effects of the formation of alkaline earth metal complexes with EDTA. The heats of formation and entropies of formation of EDTA complexes are as follows:

COMPLEX	$\Delta H$ , kcal/ml	$\Delta S$ , eu
LaEDTA	-4.1±0.1	53
CeEDTA	-4.8±0.2	53
PrEDTA	-4.7±0.1	55
NdEDTA	-4.8±0.1	55
SmEDTA	-4.6±0.2	59
EuEDTA	-3.5±0.2	63
GdEDTA	-2.5±0.1	66
DyEDTA	-3.0±0.3	69

Card 2/4

L 55132-65

ACCESSION NR: AP5009947

COMPLEX	$\Delta H$ , kcal/ml	$\Delta S$ , eu
HoEDTA	-3.1±0.2	71
ErEDTA	-3.0±0.2	72
YbEDTA	-2.7±0.2	76
LuEDTA	-3.2±0.2	75
YEDTA	-1.6±0.2	73

The most pronounced effects of ligand fields are displayed by the  $\Delta H$ -atomic number relationship shown in fig. 1 of the Enclosure. Orig. art. has: 4 figures and 10 tables.

ASSOCIATION: none

SUBMITTED: 12Nov63

ENCL: 01

SUB CODE: TD, IC

NO. REF SOV: 004

OTHER: 011

Card 3/4

L 55132-65

ACCESSION NR: AP5009947

ENCLOSURE: 01




Fig. 1. Heat of formation of rare earth-EDTA complexes as a function of the atomic number of the element.

Card 4/4

SYCHEV, M.M.; ASTAKHOVA, M.A.; KOROBOVA, V.Ye.

Synthesis of dicalcium and tricalcium silicates in the presence  
of LiF, KF, and SrF<sub>2</sub>. Izv.vys.ucheb.zav.; khim.i khim.tekh. 2  
no.5:755-760 '59. (MIRA 13:8)

1. Leningradskiy tekhnologicheskiy institut imeni Lensoveta,  
kafedra tekhnologii vyazhushchikh veshchestv.  
(Calcium silicates)

KOROBOVA, Ye.S.

Penicillin therapy of primary syphilis. Vest. vener. no.5:20-22  
Sept-Oct 1950. (CIML 20:1)

1. Of the Ukrainian Scientific-Research Skin-Venerological  
Institute (Director — Prof. A. M. Krichevskiy).

L 00878-67 EWT(1) GW  
ACC NR: AP6019667

SOURCE CODE: UR/0033/66/043/003/0480/0487

28B

AUTHOR: Korobova, Z. B.

ORG: Tashkent Astronomical Observatory (Tashkentskaya astronomicheskaya observatoriya)

TITLE: The structure of the photosphere above a sunspot?

SOURCE: Astronomicheskiy zhurnal, v. 43, no. 3, 1966, 480-487

TOPIC TAGS: photosphere, sunspot, photographic astronomy, solar facula

ABSTRACT: From photoheliograms taken during 1957--1965, photometric reductions are made of a large number of photospheric bridges in sunspots. These are classified into three major categories according to their structure, localization height, and temperature regime: 1) bridges connected with the division of sunspots (type I, the lower layer); 2) bridges which are a superposition of facula chains on the spot (type II, the middle layer); 3) bridges-arcs, evidently connected with prominences near sunspots (type III, the upper layer). Calibration techniques for standardizing the photoheliogram are outlined, and the accuracy of the photometric measurements is discussed. Using the photometric intensity ratios, the effective temperature of type I bridges is estimated to be 5925K. The degree of transparency of faculae is determined by comparing curves of contrast of faculae and bridges of type II. The author expresses her acknowledgement to Yu. M. Slonim for his helpful evaluation of the work. Orig. art. has: 5 figures and 4 equations.

SUB CODE: 03/20/ SUBM DATE: 110ct65/ ORIG REF: 015/ OTH REF: 009  
Card 1/1 UDC: 523.746

23945

3,1540

S/035/61/000/006/029/044  
A001/A101AUTHOR: Korobova, Z.B.

TITLE: The eruptive prominence of May 10, 1960

PERIODICAL: Referativnyy zhurnal. Astronomiya i Geodeziya, no. 6, 1961, 52, abstract 6A423 ("Solnechnyye dannyye", 1960 (1961), no. 8, 84-86)

TEXT: The author describes an eruptive prominence observed with an A4r-2 (AFR-2) of the Tashkent Observatory. The prominence was not associated with an active region and looked quiet prior to explosion; however, its coarse-filamentary structure indicated apparently internal motions often preceding disappearance of prominences. During its rise the prominence looked as a jet inclined to the vertical and consisted of separate knots. Its maximum length amounted to  $\sim 0.50 R_\odot$ , height over the solar surface was  $\sim 1.42 R_\odot$ . A comparison of changes in the rise velocity of the knots with their brightness shows that fluctuations of brightness are, in general, associated with accelerations and decelerations of the knots. Visible trajectories of the knots are inclined at different angles to the vertical, which indicates an expansion of the prominence in the process of its rising.

Card 1/2

LOKSHINA, R.D., kand. ekon. nauk; KOROLEVA, M.G., kand. farm. nauk;  
KOROBOVA, Z.N.; UZDENIKOV, A.N.; MARTYNOVA, M.P.; PANCHENKO, Ye.I.  
ANAN'YEVA, A.V.

Development of a methodological basis for the determination of  
medication requirements. Sbor. nauch. trud. TSANII 4:20-30 '63  
(MIRA 17:3)

1. Otdel organizatsii i ekonomiki aptechnogo dela (rukoveditel'  
otdela - kand. farm. nauk A.M. Sidorkov) Tsentral'nogo aptechno-  
go nauchno-issledovatel'skogo instituta.

KOROBKOVA-SEMECHENKO, L.V.

Embryology of the representatives of the family Saxifragaceae.  
Report No.1. Megasporogenesis and development of the female  
gametophyte in *Bergenia crassifolia* (L.) Fritsch and *Chrysosplenium*  
*alternifolium* L. Nauch. dokl. vys. shkoly; biol. nauki no.4:101-107  
'65. (MIRA 18:10)

1. Rekomendovana kafedroy vysshikh rasteniy Moskovskogo gosudarstven-  
nogo universiteta im. M.V.Lomonosova.

KORCOVA-SEmenchenko, L.V.

Development of *Corydalis Halleri* Willd. under ice. Nauch. dokl. vys. shkoly; biol. nauki no.1:108-112 '60. (MIRA 13:2)

1. Rekomendovana Botanicheskim sadom Moskovskogo gosudarstvennogo universiteta im. M.V. Lomonosova.  
(Birthwort) (Botany--Embryology)

KOROBOKIN, V.

All-Union scientific technological conference of amateur radio designers of  
the All-Union Volunteer Society for Assistance to the Army, Air Force and  
Navy. Radio no.8:12 Ag '53.

(MLRA 6:8)

(Radio--Congresses)

USSR/Electronics - Radio receivers

Card 1/1 Pub. 89 - 25/31

Authors : Vorob'yev, S., and Korobovkin, V.

Title : A simple heterodyne receiver

Periodical : Radio 11, 49-52, Nov 1954

Abstract : A six-tube simplified-type heterodyne receiver that can be built by radio amateurs, utilizing standard parts, is described and instructions for the assembly of the various component parts are given. The receiver operates on long (150 - 2000 m), medium (200 - 550 m) and short (9 - 50 m) wave bands. A general layout diagram indicating the types of tubes used in the various circuit-stages is presented. The general description covers also the following items: a) the frequency-converter, the preamplifier and intermediate amplifier stages and a cathode-ray tube. The chassis, the cabinet design and tuning are also described. The results of the preliminary test are described in the concluding section. It is claimed that, in addition to reception from the Moscow Central Region, good reception is also obtained from Leningrad, Kiev, Rostov, Voronezh, Kharkov, Odessa, Minsk, and the Satellite Countries. Diagrams; illustrations; table.

Institution : ...  
Submitted : ...

Radio Equipment

Subject : USSR/Radio AID P - 4401  
Card 1/1 Pub. 89 - 10/11  
Authors : Nefedov, A. and V. Korobovkin  
Title : Receiver set with an ultra short wave range  
Periodical : Radio, 3, 50-55, Mr 1956  
Abstract : The receiver, designed by the laboratory of the Central Radio Club is built for a-m and VHF waves. A very detailed description of its components is given. A block diagram of the VHF section of the receiver is presented. A table of coils data is included. The mounting and tuning operations are explained. Ten diagrams.  
Institution : None  
Submitted : No date

Assembly

Subject : USSR/Radio AID P - 4411  
Card 1/1 Pub. 89 - 9/18  
Authors : Nefedov, A. and V. Korobovkin  
Title : Assembling oscillator induction coils  
Periodical : Radio, 4, 33-34, Ap 1956  
Abstract : The article describes the oscillator induction coils assembly of a VHF receiving set designed by the Central Radio Club and described fully in the No. 3 issue of this magazine. Data on coils are summarized in a table.  
Institution : None  
Submitted : No date

Subject : USSR/Electronics

Card 1/1 Pub. 89 - 8/14

## PHASE I BOOK EXPLOITATION

526

Korobovkin, Viktor Vladimirovich and Nefedov, Anatoliy Mikhaylovich

Vsevolnovyy lyubitel'skiy radiopriyemnik (All-Wave Amateur Radio Receiver) Moscow, Gosenergoizdat, 1957. 31 p. (Massovaya radiobiblioteka, vyp. 280) 60,000 copies printed.

Ed.: Ginzburg, Z.B.; Tech. Ed.: Chernov, V.S.

PURPOSE: This brochure is addressed to radio amateurs who have already had some experience in building and adjusting superheterodyne receivers, and who know how to use measuring instruments.

COVERAGE: The brochure describes the circuit diagram and design of an eight-tube, all-band, superheterodyne radio amateur receiver with an uhf band. Detailed descriptions of the homemade receiver parts, as well as assembly and tuning instructions, are

Card 1/2

given. Special attention is given to the design of the uhf channel and to methods of tuning it.

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824810006-2" CONTENTS:

General Characteristic	3
Circuit Diagram	4
Uhf Unit	8
Components	11
Design and Assembly	18
Uhf Unit With Capacity Tuning	20
Tuning	22
Receiver Exterior	29

AVAILABLE: Library of Congress

Card 2/2

JP/ad  
9-10-58

KOROBOKIN, V.

6(4)

PHASE I BOOK EXPLOITATION

SOV/1903

Vsesoyuznoye dobrovol'noye obshchestvo sodeystviya armii, aviatsii  
1 flotu

V pomoshch radiolyubitelyu, vyp. 3 (Manual for Radio Amateurs Nr 3)  
Moscow, Izd-vo DO SAAF, 1957. 64 p. Errata slip inserted.  
100,000 copies printed.

Ed.: A. A. Vasil'yev; Tech. Ed.: L. T. Tsigel'man.

PURPOSE: The booklet belongs to a series published by the DOSAAF  
organization (All-Union Voluntary Society for the Promotion of  
the Army, Air Force, and Navy) for radio amateurs.

COVERAGE: The booklet consists of several articles written by  
different authors on subjects that include descriptions of a  
standard superheterodyne 6-tube receiver, an UKV (ultrashortwave)  
battery radio receiver, an UKV ChM (ultrashortwave FM) unit,  
a simplified calculation of power transformers and autotrans-  
formers, and band switches of radio broadcasting receivers.  
There are no references.

Card 1/2

## Manual for Radio Amateurs Nr 3

SOV/1903

## TABLE OF CONTENTS:

Vorob'yev, S. Standard Superheterodyne Receiver	3
Babayev, B. UKV [Ultrashortwave] Battery Radio Receiver	15
<u>Korobovkin, V., and A. Nefedov. UKV ChM [Ultrashortwave FM] Unit</u>	23
Ivanov, V. Simplified Calculation of Power Transformers and Autotransformers	38
Andreyev, I., and M. Gamzburg. Band Switches of Radio Broadcasting Receivers	48

AVAILABLE: Library of Congress

TM/dfh  
7-22-59

Card 2/2

KOROBOVICH, K.; NEVIDOV, A.

Ultrashortwave frequency-modulation adapter. V pom. radioliub. no.3:  
23-38 '57. (MIRA 10:12)  
(Radio, Short wave--Receivers and reception)

KOROBOWICZ, B.

The 5th Book and Technical Press Festival. Przegl. geol. 10  
no. 12:3 Of cover D '62.

KOROBOWICZ, Elzbieta

The influence of external factors on the Development of  
postmortem changes in the kidneys of individuals of dif-  
ferent age. Ann. Univ. Lublin sect. D 19:241-248 '64.

1. Katedra i Zaklad Anatomii Patologicznej, Wydzial Lekarski,  
AM w Lublinie (Kierownik: prof. dr. med. Stanislaw Mahrburg).

KARSKI, Tomasz; KOROBOWICZ, Elzbieta; WARDA, Edward

Microscopic picture of the hip joint of growing rats following the excision of abductor muscles, after amputation of the extremity and in experimental dislocation of the hip. Chir. narzad. ruchu ortop. Pol. 29 no.4:485-491 '64.

1. Z Kliniki Ortopedycznej Akademii Medycznej w Lublinie (Kierownik: doc. dr med. St. Piątkowski) i z Zakładu Anatomii Patologicznej Akademii Medycznej w Lublinie (Kierownik: prof. dr St. Mahrburg).

ORLOWSKI, W.J.; KOROBOWICZ, J.

Case of benign lymphadenosis of the orbit, epibulber region & eyelids with glaucoma. Klin. oczna 28 no.3:307-314 1958.

1. Z Oddzialu Ocznego Wojskowego Szpitala Okregowego Ordynator: dr med. W. J. Orłowski. Adres autra: Warszawa 31, ul. Dzielna 15a m. 23.

(ORBIT, neoplasms

benign lymphadenosis of orbit, epibulbar region & eyelids with glaucoma, case report (Pol))

(LYMPHOMA, case reports

same)

(EYELIDS, neoplasms

benign lymphadenosis of eyelids, orbit & epibulbar region with glaucoma, case report (Pol))

KOROBTSEV, I. I. Doc Cand Agr Sci -- (diss) "Concerning the  
problem ~~establishment~~ <sup>On</sup> the ~~question~~ <sup>norms</sup> of ~~determination~~ of ~~the~~ differentiated ~~rate~~ of sowing  
of spring wheat in ~~the conditions of~~ Irkutskaya Oblast."  
Irkutsk, 1957. 19 pp 19 cm. (Irkutsk Agricultural Instl),  
100 copies  
(KL, 21-57, 104)

-81-

KOROBTSOV, A., inzh.

For hearth with gas outlet tube as means of increasing the  
heating of cast iron in cupolas operating on a cold blow. Mer.  
fleet 21 no. 6:26-29 Je '61. (MIRA 14:6)

1. Tekhnicheskiy etdel sudorementnogo zavoda imeni X godovshchiny  
Oktyabr'skoy revolyutsii.  
(Cupola furnaces) (Ships--Maintenance and repair)

5(3)

AUTHORS:

Petrov, V. N., Buzhenko, M. A., Korobtsov, A. A. (Deceased)

SOV/153-2-3-17/29

TITLE:

Photocolorimetric Determination of Acetone Under the Use of  
Hydrochloric Hydroxylamine

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy. Khimiya i khimicheskaya  
tekhnologiya, 1959, Vol 2, Nr 3, pp 394-398 (USSR)

ABSTRACT:

The photocolorimetric method described in the present paper makes it possible to determine small amounts of acetone in air and in water. The determination is based on the reaction of acetone with hydrochloric hydroxylamine:

$$(\text{CH}_3)_2\text{CO} + \text{NH}_2\text{OH} \cdot \text{HCl} \rightleftharpoons (\text{CH}_3)_2\text{CNOH} + \text{H}_2\text{O} + \text{HCl}$$

The determination of the released hydrochloric acid was made by the photo-electro-colorimetric method with a device FEK-M and a green filter. Methyl orange proved to be the best indicator. With all other indicators investigated the calibration curves are steeper; this increases the error of determination. If methyl orange is used the calibration curve  $\epsilon = f(c)$  ( $\epsilon$ ...coefficient of perviousness,  $c$ ...amount of acetone) for quantities  $< 1$  mg acetone is so flat that the error of determination is  $\pm 3-4\%$

Card 1/3

SOV/153-2-3-17/29  
Photocolorimetric Determination of Acetone Under the Use of Hydrochloric  
Hydroxylamine

(with respect to an arithmetic mean value of several measuring results). Amounts up to 2.5 mg acetone in the solution to be measured may be determined with satisfactory accuracy. Since the calibration curve remains constant only for 12-14 hours it must be made on the day of the measurement. Temperature changes strongly influence the accuracy; for this reason the coefficient of perviousness of the test solution must be measured at the same temperature at which the calibration curve was made. If the air, the acetone content of which is to be determined, is impurified by black, dust, etc, the solution must be centrifuged prior to the photoelectro-colorimetric measurement. The solution cannot be filtrated since the methyl orange of the filter paper or the other filtering substances are adsorbed. The duration of the developed determination is only 8-9 minutes, which is especially valuable for series analyses. There are 3 figures and 2 Soviet references.

ASSOCIATION:  
Card 2/3

Tsentral'nyy nauchno-issledovatel'skiy dizel'nyy institut i  
Murmanskoye vyssheye morekhodnoye uchilishche (Central Sci-

Photocolorimetric Determination of Acetone Under the Use of Hydrochloric  
Hydroxylamine

SOV/153-2-3-17/29

Scientific Research Institute for Diesel Engines and Murmansk  
Higher Institute of Marine Navigation

SUBMITTED: April 2, 1958

Card 3/3

"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824810006-2

КУРБОВСКИЙ, А.И.

KOROBTSOV, A.I., inzh.

Machines have replaced manual work. Izobr.v SSSR 2 no.10:20-21  
0 '57. (MIRA 10:11)  
(Ships--Maintenance and repair)

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824810006-2"

KOROBTSOV, I.

IA 1/49722

ONCO/Engineering

May 46

Ship Characteristics

Ships-Equipment and Supplies

"My Experience in the Technical Operation of the SS Sestroretsk," I. Korobtsov, Sr Engr, SS Sestroretsk, 2 pp

"Morskoy Flot" No 5

Presents results of observations made by author on engineering and technical performance of subject vessel's equipment during three years of operations.

1/49722

KOROBTSOV, I.M.

USSR/Chemical Technology - Chemical Products and Their  
Application. Treatment of Natural Gases and Petroleum.  
Motor Fuels. Lubricants. I-13

Abs Jour : Referat Zhur - Khimiya, No 4, 1957, 12968

Author : Korobtsov I.M.

Inst : Odessa Institute of Engineers of the Maritime Fleet

Title : Problems of Utilization of Fuel Mazuts in USSR Electric  
Power production.

Orig Pub : Nauch. tr. Odessk. in-ta inzh. mor. flota. Yubileynyy  
byp., M., 1955, 93-110

Abstract : No abstract.

Card 1/1

- 257 -

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824810006-2"

Use of low-grade fuel oil by ships. Mor.flot 16 no.2:18-19 F '56.

(MLRA 9:5)

1. Direktor OIIMP.

(Marine engines--Fuel consumption)

KOROBTSOV, I., dotsent; TSYMARNYY, A., inzhener.

Some problems connected with the functioning of ship repair yards.  
Mor.flot. 16 no.3:19-21 Mr '56.  
(MLRA 9:7)

1.Odesskiy institut inzhenerov morskogo flota (for TSymarnyy)  
(Ships--Maintenance and repair)

~~KOROBTSOV, I., dotsent; BEM'KOVSKIY D., dotsent; GAL'VER-KOGAN, G., prepoda-~~  
~~vatel'; KNYAZEV, L., inzhener.~~

More widespread use of progressive practices in the repair of ships.  
Mor.flot 16 no.11:16-19 N '56. (MIRA 10:1)

1. Odesskiy institut inzhenerov morskogo flota (for Knyazev)  
(Ships--Maintenance and repair)

KOROBTSOV, I.M., doteent; GINZBURG, S.A., doteent

Rapid method of checking the moisture content in highly viscous  
furnace mazout. Nauch.trudy OIIMF no.13:252-265 '57.  
(MIRA 11:11)  
(Diesel fuel)

KOROBTSOV, Ivan Maksimovich; BON'KOVSKIY, Dmitriy Dmitriyevich; ULITSKIY, Leonid Vladimirovich; GAL'VER, Grigoriy Gedeonovich; TSYMARNYY, A.K., red.; SNEKO, G.S., red. izd-vo; LAVRENOVA, N.B., tekhn. red.

[Problems in the organization and technology of ship repairing]  
Voprosy organizatsii i tekhnologii sudoremonta. Moskva, Izd-vo  
"Morskoi transport," 1958. 101 p. (MIRA 11:7)  
(Ships—Maintenance and repair)

S/081/62/000/002/091/107  
B157/B110

AUTHORS: Yelin, L. V., Korobtsov, I. M., Khalupovskiy, M. D.

TITLE: Phosphorescence of lubricating oils at liquid oxygen temperature

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 2, 1962, 496, abstract  
2M303 (Nauchn. zap. Fiz-matem. fak. Odessk. gos. ped. in-t,  
v. 22, no. 1, 1958, 63 - 65)

TEXT: Phosphorescence and fluorescence of 11 grades of mineral lubricating oils at liquid  $O_2$  temperature, using a plant of special design were studied. It is shown that phosphorescence becomes less apparent as anti-friction properties of oils increase. [Abstracter's note: Complete translation.]

Card 1/1

*KOROBTSOV, I.M.* *E.M.*  
KOROBTSOV, I.M.; GINZBURG, S.A.

Urgent measures for improving the quality of fuel oil and methods  
for using it in the merchant marine. Neft. khoz. 36 no.1:64-69 Ja  
'58. (MIRA 11:2)  
(Petroleum as fuel)

KOROBTSOV, I., dots.

Heating high-viscosity fuel oil by steam jet. Mor.flot 19 no.8:17-20  
Ag '59. (MIRA 12:11)

1. Odesskiy institut inzhenerov morskogo flota.  
(Diesel fuels) (Steam jets)

BEN'KOVSKIY, Dmitriy Dmitriyevich, dotsent, kand. tekhn. nauk; GAL'VER,  
Grigorij Gedemovich; KOROPTAEV, Ivan Maksimovich; ORGANEZOV,  
Georgij Ar'tashesovish; TSIMAREV, A.K., red.; REUT, N.I.,  
red. izd-va; LAVRENOVA, N.B., tekhn. red.

[Technology of ship repair] Tekhnologija sudoremonta. Pod  
obshchhei red. D.D.Ben'kovskogo. Moskva, Izd-vo "Morakni  
transport," 1961. 559 p. (MIRA 14:6)  
(Ships—Maintenance and repair)

KOROBTSOV, I., prepodavatel'; RISOVICH, A., prepodavatel'

Ways of increasing the effectiveness of the over-all mechanization  
and automatization of ship repairing. Mor.flot 21 no.1:35-38  
Ja '61. (MIRA 14:6)

1. Kafedra organizatsii i tekhnologii sudoremonta Odesskogo  
instituta inzhenerov morskogo flota.  
(Ships--Maintenance and repair)  
(Automatic control)

KOROBTSOV, I., dotsent; RISOVICH, A., starshiy gruppovoy inzhener

Objectives in the increase of labor productivity and the over-all mechanization in ship repairs. Mor. flot 22 no.5:28-29  
Mv '62. (MIRA 15:5)

1. Odesskiy institut inzhenerov morskogo flota (for Korobtsov).  
(Merchant ships—Maintenance and repair)

KOROBTSOV, I.M.

Flaw detection of the plant. Sudorem. i sudostro. no.2:3-6 '63.  
(MIRA 17:4)

1. Odesskiy institut inzhenerov morskogo flota.

BEN'KOVSKIY, Dmitriy Dmitriyevich, prepod.; GAL'VER, Grigoriy Gedeonovich, prepod.; KOROBTSOV, Ivan Maksimovich, prepod.; TERK, Davidi Pavlovich, inzh.; SORKIN, E.I., red.

[Organization and planning of work in ship-repairing enterprises] Organizatsiya i planirovanie proizvodstva na sudoremontnykh predpriatiiakh. Moskva, Transport, 1965. 289 p. (MIRA 18:9)

1. Kafedra organizatsii i planirovaniya sudoremonta Odes-skogo instituta inzhenerov morskogo flota (for Ben'kovskiy, Gal'ver, Korobtsov). 2. Odesskiy sudoremontnyy zavod no.1 (for Terk).

KOROBTSOV, Ivan Maksimovich; PASHKOV, A.P., spets. red.; ZAREZIN,  
I.V., red.

[Technical servicing and repair of the fleet] Tekhniches-  
koe obsluzhivanie i remont flota. Moskva, Transport,  
1965. 195 p. (MIRA 19:1)

L 27214-66	EWP(c)/EWP(h)/EWT(d)/ETC(m)-6/EWP(1)	Monograph	UR/27
ACC NR:	AM6000297		B+1
<p>Ben'kovskiy, Dmitriy Dmitriyevich; Gal'ver Grigoriy Gedeonovich; Korobtsov, Ivan Maksimovich; Terk, David Pavlovich</p> <p>Organization and planning of production in ship repair enterprises (Organizatsiya i planirovaniye proizvodstva na sudoremontnykh predpriyatiyakh) Moscow, Izd-vo "Transport", 1965. 289 p. biblio. Errata slip inserted. 2500 copies printed. Textbook for higher educational institutions of the Ministry of the Merchant Marine of the U.S.S.R.</p>			
TOPIC TAGS: shipbuilding engineering, marine engineering, cost estimate, ship repair			
PURPOSE AND COVERAGE: This book is intended for use as a textbook for students in higher educational institutions of the Ministry of the Merchant Marine and is recommended as a handbook for engineers and technicians in ship-repair facilities. In the book, principles underlying the organization and planning of merchant-ship repairs and the administrative structure of repair facilities are discussed along with the organization of production technology, auxiliary ships, and maintenance departments. The organization of labor, production quotas, and salaries are reviewed, as are engineering, economic, and operations planning and cost accounting. Problems relating to the classification and frequency of repairs, the planning and organization of repairs in the year, and coordination between customer and yard are presented in the light of the existing status of the repairs to merchant ships.			
Card 1/3	UDC: 629.128.008(075.8)		

L 27214-66

ACC NR: AM6000297

0

TABLE OF CONTENTS: (Abridged):

Ch. I. Procedure, classification, and frequency in ship repair -- 3

Ch. II. Methods of organizing ship repairs -- 15

Ch. III. Preparation and planning in ship repair -- 21

Ch. IV. Production structure of a ship-repair yard and the basic forms of specialization and cooperation -- 34

Ch. V. The organization and planning of the work of auxiliary shops and maintenance departments -- 47

Ch. VI. Administrative organization of ship-repair facilities -- 67

Ch. VII. Technical preparation for production and the organization of ship repairs in the yard -- 88

Ch. VIII. The organization of engineering quality control -- 107

Ch. IX. Production capacity and methods for its determination and utilization -- 115

Card 2/3

L 27214-66

ACC NR: AM6000297

Ch. X. The organization of labor and setting production quotas -- 126  
Ch. XI. Wages -- 176  
Ch. XII. Engineering-economic planning -- 185  
Ch. XIII. Production planning -- 231  
Ch. XIV. Working capital -- 247  
Ch. XV. Operational production accounting -- 252  
Ch. XVI. Organization of cost accounting in ship-repair facilities -- 259  
Ch. XVII. Basic trends in engineering progress and in the improvement of production organization at ship-repair facilities -- 265

Appendices -- 271

References -- 286

SUB CODE: 13, 14/ SUBM DATE: 17Jun65/ ORIG REF: 020/

Card 3/3 CC

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824810006-2"

ACC NR: AM6011668

Monograph

UR/

Korobtsov, Ivan Maksimovich

Technical maintenance and repair of the fleet (Tekhnicheskoye obsluzhivaniye i remont flota) Moscow, Izd-vo "Transport", 1965. 195 p. illus., biblio. 3000 copies printed. Textbook for students at institutes of higher learning of the Ministry of the Merchant Marine.

TOPIC TAGS: marine engineering, ship component, ship repair, heat engineering, marine steam boiler, marine piston engine, marine turbine, preventive maintenance, ship hull, ship propeller, heat exchanger

PURPOSE AND COVERAGE: This textbook is intended for use in ship maintenance departments in higher educational institutions of the Ministry of the Merchant Marine; it may also be used by students in other fields in higher and middle marine educational institutions and by ship personnel and workers in steam navigation. The book contains basic information on the planning and organization of logistic maintenance and support for ships and their engineering maintenance, as well as information on the maintenance of ship hulls, systems, and machinery, their servicing, and the organizing

ACC NR: AM6011668

and conducting of heat-engineering tests for ships. Problems in the planning, organization, and technology of ship repairs are reviewed, and measures for lengthening the in-service time of a ship as a whole and of its individual components are given.

**TABLE OF CONTENTS: [abridged]:**

Foreword -- 3

Part One. Technical Maintenance of Ships -- 5
Ch. I. Logistic maintenance and support -- 5
Ch. II. Basic methods of logistic economy -- 43
Ch. III. Engineering maintenance of ships -- 54
Ch. IV. Heat-engineering tests for ships -- 66
Ch. V. Servicing of hulls, superstructures, and ship equipment and systems -- 72
Ch. VI. Maintenance of marine steam boilers -- 95

Card 2/4

ACC NR: AM6011668 "APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824810006-2"

Ch. VII. Maintenance of main engines and their servicing -- 105
Ch. VIII. Maintenance of pumps, heat exchangers, electric-power units, and electronic navigation gear, and their servicing -- 108
Part Two. Ship Repairs -- 117
Ch. IX. The organization of merchant-fleet ship repairs -- 117
Ch. X. The repair of metal hulls -- 146
Ch. XI. The repair of ship's equipment -- 155
Ch. XII. The repair of pipes and fittings -- 158
Ch. XIII. The repair of marine boilers -- 161
Ch. XIV. The repair of marine piston engines -- 167
Ch. XV. The repair of marine turbines -- 184
Ch. XVI. The repair of shafts and propulsion gear -- 186

Card 3/4

KOROBTSOV, V., aspirant

Providing sailing safety of seagoing vessels during the transportation of loose bulk cargoes. Mor. flot 21 no.8:23-26 Ag '61.  
(MIRA 14:9)

1. TSentral'nyy nauchno-issledovatel'skiy institut morskogo flota.  
(Merchant marine--Safety measures) (Stability of ships)

BASEVICH, Vadim Viktorovich; KOROBTSOV, Viktor Ivanovich; GRUNIN, A.G.,  
red.; YAROVA, L.V., red.izd-va; TIKHONOV, Ye.A., tekhn.red.

[Marine passenger transportation in 1959-1965] Morskie passe-  
zhirske perevoski v 1959-1965 gg. Moskva, Izd-vo "Morskoi  
transport," 1960. 83 p.  
(Merchant marine--Passenger traffic)

KOROBTSOV, V.I.

Certain characteristics of the transportation of granular materials  
by sea. Trudy TSNIIMF 7 no.37:104-111 '61. (MIRA 15:3)  
(Granular materials--Transportation) (Ships--Cargo)

KOROBTSOV, V.I., kand. tekhn. nauk

Changes of certain physicomechanical properties of grain  
cargo and regularities of its transportation by sea. Trudy  
(MIRA 17:11)  
TSNIIMF no.56:59-64 '64.

KOROBKOV, V.V.

Pneumatic saw on the SIP-IIMZ drill. Bezop. truda v prom. 8  
no.12:53 D '64. (MIRA 18:3)

1. Nachal'nik PVS shakhty No.17-55 tresta Kopeyskugol'.

SADYKHOV, I.D.; KOROBTSOVA, M.I.

Amperometric determination of ethylmercaptan in odorized  
natural gases. Azerb. khim. zhur. no.3:131-135 '61. (MIRA 14:11)  
(Thiols) (Gas, Natural)

KORBTSEVA, M. S.

Korobtseva, M. A. "On rock salt from the Kalushsk deposit in Prikarpat'e,"  
Mineral. abornik, No. 2, 1948, p. 187-92 - Bibliog: 6 items  
SC: U-3850, 16 J ne 53, (Letopis 'Zhurnal 'nykh Statey, N. 5, 1948).

KOROBTSOVA, M.S.

Kainite from salt-bearing deposits of the Carpathian Mountain region. Min.sbor. no.5:253-260 '51. (MLRA-9:12)

1. Gosuniversitet imeni Ivana Franko, L'vov.  
(Carpathian Mountain region--Kainite)

KOROBTSOVA, M. S.

"Mineralogy of the Potash Deposits of Prikarpat'ye." Cand Geol-Min Sci,  
L'vov State U imeni Ivan Franko, Min Higher Education USSR, L'vov, 1954.  
(KL, No 4, Jan 55)

Survey of Scientific and Technical Dissertations Defended at USSR  
Higher Educational Institutions (120)  
SO: Sum. No. 556, 24 Jun 55

KOROBTSOVA, N.S.

Mineralogy of potassium deposits in the eastern Carpathian Mountain  
region. Vop.min.osad.obr. 2:3-137 '55. (MLRA 9:11)  
(Carpathian Mountain region--Potassium salts)

KOROBTSOVA, M.S.; LISA, N.S.; MARTYNOVA, S.S.; SLIVKO, M.M., otvetstvennyy red.

[Guide to the Mineralogical museum of Lvov State University]  
Mineralogicheskii Muzei L'vovskogo Gosudarstvennogo Universiteta;  
putevoditel'. [L'vov] Izd-vo L'vovskogo Universiteta, 1956. 111 p.  
(MIRA 11:6)

1. Lvov. Universytet. Mineralogicheskiy muzey.  
(Lvov--Mineralogical museums)

IVANOV, Petr. Petrovich; KOROBTSOVA, N.A., red.; GOLOVKO, B.N., tekhn.red.

[Agrochemical clubs in schools] Agrokhimicheskii kruzhok v  
shkole. Izd.2., dop. Moskva, Gos.uchebno-pedagog. izd-vo M-va  
prosv. RSFSR, 1958. 91 p. (MIRA 11:10)  
(Agricultural chemistry--Study and teaching)

SLAVIN, David Osipovich; KOROBTSOVA, N.A., red.; FEDOTOVA, A.F., tekhn.red.

[Principles of metallurgical production; manual for teachers]

Osnovy metallurgicheskogo proizvodstva; pesebie dlja uchitelei.

Izd.2., dop. Moskva, Gos. uchebno-pedagog. izd-vo M-va prosv.

RSFSR, 1958. 158 p. (MIRA 12:1)

(Iron) (Steel)

UGRYUMOV, Pavel Grigor'yevich.; KOROBTSOVA, N.A., red.; NATAPOV, M.I., tekhn. red.

[Chemical processing of carbohydrates, fats and proteins in industry;  
a manual for teachers] Khimicheskaiia pererabotka uglevodov, zhirov  
i belkov v promyshlennosti; posobie dlja uchitelei. Moskva, Gos.  
uchebno-pedagog. izd-vo M-va prosv. RSFSR, 1958. 252 p. (MIRA 11:11)  
(Carbohydrates)  
(Oils and fats)  
(Proteins)

BESKOV, Sergey Dmitriyevich; SLIZKOVSKAYA, Ol'ga Alekseevna; KOROBTSOVA,  
N.A., red.; KOZLOVSKAYA, M.D., tekhn.red.

[Analytic chemistry; qualitative and quantitative analysis] Analiticheskaya khimiia; kachestvennyi i kolichestvennyi analiz. Izd. 2.  
Moskva, Gos. uchebno-pedagog. izd-vo M-va prosv. RSFSR, 1958.  
590 p.

(MIRA 12:1)

(Chemistry, Analytical)

AGAFOSHIN, Nikolay Petrovich; KOROBTSOVA, N.A., red.; FEDOTOVA, A.P.,  
tekhn.red.; MAKHOVA, N.N., tekhn.red.

[Selected chapters of the general chemistry; fundamentals of  
constitution of matter] Izbrannye glavy obshchei khimii; osnovy  
stroeniia veshchestva. Izd.2. Moskva, Gos uchebno-pedagog.  
izd-vo M-va prosv. RSFSR, 1959. 346 p. (MIREA 12:8)  
(Matter--Constitution)

GUN, Rudol'f Borisovich; RYBAK, Moisey Borisovich; KOROBTSOVA, N.A.,  
vedushchiy red.; MUKHINA, E.A., tekhn.red.

[Complete automatic control of second-stage distillation  
units] Kompleksnaya avtomatizatsiya ustanovok vtorichnoi  
peregonki. Moskva, Gos. nauchno-tekhn. izd-vo neft. i gorno-  
toplivnoi lit-ry, 1960. 74 p.

(MIRA 13:6)

(Petroleum--Refining) (Automatic control)

DOLEZHALK, Vitezslav [Dolezalik, Vitezslav], dots., doktor; STUKHLIK, I.,  
[translator]; GEL'PERIN, N.I., prof., red.; KOROBTSOVA, N.A., red.;  
TROFIMOV, A.V., tekhn. red.

[Similitude and modeling in chemical engineering] Podobie i mo-  
delirovanie v khimicheskoi tekhnologii. Moskva, Gos. nauchno-  
tekhn. izd-vo neft. i gorno-toplivnoi lit-ry, 1960. 95 p.  
(MIRA 14:5)

(Chemical engineering) (Dimensional analysis)

PICHUGIN, Aleksey Pavlovich; KOROBTSOVA, N.A., vedushchiy red.; POLOSINA, A.S., tekhn.red.

[Petroleum refining; distillation, thermal cracking, and coking]  
Pererabotka nefti; priamais peregonka, termicheskii kreking,  
koksovaniye. Moskva, Gos.nauchno-tekhn.izd-vo neft. i gorno-  
toplivnoi lit-ry, 1960. 343 p. (MIRA 13:3)  
(Petroleum--Refining)

REMEZOV, Nil Petrovich ; VOVCHENKO, G.D., prof., otd. red.; GORDEYEV, D.I., prof., red.; VILENSKIY, D.G., prof., red.; BERNSHTEYN, S.B., prof., red.; GUDZIY, N.K., prof., red.; ZAYONCHKOVSKIY, P.A., prof., red.; KECHEK'YAN, S.F., prof., red.; MEL'NIKOVA, K.P., kand. geologo-mineralog. nauk, red.; POLYANSKIY, F.Ya., prof., red.; RYBNIKOV, K.A., prof., red.; SKAZKIN, S.D., akad., red.; SOLOV'YEV, A.I., dots., red.; KOROBTSOVA, N.A., red.; MASLENNIKOVA, T.A., tekhn. red.

[Vladimir Vasil'evich Gemmerling] Vladimir Vasil'evich Gemmerling.  
Moskva, Izd-vo Mosk. univ., 1961. 57 p. (MIRA 14:7)  
(Gemmerling, Vladimir Vasil'evich, 1880-1954)

YEREMIN, Yevgeniy Nikolayevich; KOROBTSOVA, N.A., red.; MASLENNIKOVA,  
T.A., tekhn. red.

[Elements of gas electrochemistry] Elementy gazovoi elektro-  
khimii. Moskva, Izd-vo Mosk. univ., 1961. 77 p.  
(MIRA 14:12)  
(Electrochemistry)

GALKIN, N.P., doktor tekhn. nauk, prof.; MAYOROV, A.A.; VERTYATIN, U.D.; SUDARIKOV, B.N.; NIKOLAEV, N.S.; SHISHKOV, Yu.D.; KRUTIKOV, A.B.; KOROBTSOVA, N.A., red.; POPOVA, S.M., tekhn. red.

[Chemistry and technology of uranium fluorides] Khimiia i tekhnologiya fторistykh soderzhenii urana. Moskva, Gos. izd-vo lit-ry v oblasti atomnoi nauki i tekhniki, 1961. 347 p. (MIRA 14:10)  
(Uranium fluorides)

AVDONIN, N.S., prof., red.; REMEZOV, N.P., prof., red. [deceased];  
KOROBTSOVA, N.A., red.; GEORGIYEVA, G.I., tekhn. red.

[Role of trace elements in agriculture] Rol' mikroelementov v  
sel'skom khoziaistve; trudy. Pod red. N.S. Avdonina i N.P. Reme-  
zova. Moskva, Izd-vo Mosk. univ., 1961. 296 p. (MIRA 15:2)

1. Mezhvuzovskoye soveshchaniye po mikroelementam i prirodnoy  
radioaktivnosti pochv SSSR. 2d, Moscow, 1960.  
(Trace elements) (Plants--Nutrition)

VOL'FKOVICH, Semen Isaakovich; KOROBTSOVA, N.A., red.; LAZAREVA,  
L.V., tekhn. red.

[Chemical technology as a science and its objectives] Khimicheskaya tekhnologiya kak nauka i ee zadachi. Moskva, Izd-vo Mosk. univ., 1961. 32 p. (MIRA 15:11)  
(Chemistry, Technical)

BERZIN, Il'ya Vasil'yevich; DENISOV, Yevgeniy Timofeyevich;  
EMANUEL', Nikolay Markovich; KOROBTSOVA, N.A., red.;  
KOZLOVA, T.A., tekhn. red.

[Oxidation of cyclohexane] Okislenie tsiklogeksana. Moskva,  
Izd-vo Mosk. univ. 1962. 301 p. (MIRA 16:1)  
(Cyclohexane) (Oxidation)

BEKKER, Zinaida Ernestovna; KOROBTSOVA, N.A., red.; GEORGIYEVA, G.I.,  
tekhn. red.

[Physiology of fungi and their practical use] Fiziologija gri-  
bov i ikh prakticheskoe ispol'zovanie. Moskva, Izd-vo Mosk.  
univ., 1963. 267 p. (MIRA 16:4)  
(Fungi—Physiology)

TURKOVA, Nina Sergeyevna; KOROBTSOVA, N.A., red.; KOZLOVA, T.A.,  
tekhn. red.

[Plant respiration] Dykhanie rastenii. Moskva, Izd-vo  
Mosk. univ., 1963. 290 p. (MIRA 16:5)  
(Plants--Respiration)

KHOMCHENKO, Gavriil Platonovich; KOROBETSOVA, N.A., red.;  
YERMAKOV, M.S., tekhn. red.

[Handbook on chemistry for students entering institutions of higher learning] Posobie po khimii dlja postupaiushchikh v vuzy. Moskva, Izd-vo Mosk. univ., 1963.  
279 p. (MIRA 16:11)  
(Chemistry--Handbooks, manuals, etc.)

ANIKIN, Aleksey Gerasimovich; DUGACHEVA, Galina Mikhaylovna;  
GERASIMOV, Ya.I., prof., otv. red.; PLATE, A.F., prof.,  
otv. red.; KOROBTSOVA, N.A., red.; YERMAKOV, M.S.,  
tekhn. red.

[Determination of the purity of organic substances] Opre-  
delenie chistoty organicheskikh veshchestv. Otv. red. IA.I.  
Gerasimov, A.F. Plate. Moskva, Izd-vo Mosk. univ. 1963.  
147 p. (MIRA 16:10)

1. Chlen-korrespondent AN SSSR (for Gerasimov).  
(Organic compounds) (Chemistry, Analytical)

VINOGRADOVA, Ye.N.; GALLAY, Z.A.; FINOGENOVA, Z.M.; ALIMARIN, I.P., prof., otv. red.; KOROBTSOVA, N.A., red.; CHISTYAKOVA, K.S., tekhn. red.

[Methods of polarographic and amperometric analysis] Metody poliarograficheskogo i amperometricheskogo analiza. Moskva, Izd-vo Mosk. univ., 1963. 298 p. (MIRA 16:12)

1. Chlen-korrespondent AN SSSR (for Alimarin).  
(Polarography) (Conductometric analysis)

ALEKSANDROVA, G.G.; ZHUKOVA, V.A.; KONDRAT'YEV, N.N.; KUSKOV, V.K.;  
MALETS, A.M.; SOLOMONOVA, N.L.; FEDOROVICH, R.M.;  
VOL'FKOVICH, S.I., akademik, red.; KOROBTSOVA, N.A., red.;  
YERMAKOV, M.S., tekhn. red.

[Work in technology] Tekhnologicheskie raboty. Moskva, Izd-  
vo Mosk. univ. 1963. 115 p. (Laboratornyi praktikum po khi-  
micheskoi tekhnologii, no.4) (MIRA 17:1)

SKURATOV, Sergey Mikhaylovich; KOLESOV, Viktor Petrovich;  
VOROB'YEV, Adol'f Fedorovich; SOKOLOV, V.A., nauchn. red.;  
KOROBISOVA, N.A., red.

[Thermochemistry] Termokhimia. Moskva, Izd-vo Mosk. univ.  
Pt.1. [General data on thermometry and calorimetry] Obshchie  
svedeniia o termometrii i kalorimetrii. 1964. 301 p.  
(MIRA 17:5)

ZYRIN, Nikolay Georgiyevich; ORLOV, Dmitriy Sergeyevich;  
KOROBTSOVA, N.A., red.

[Physicochemical methods of studying soils] Fiziko-  
khimicheskie metody issledovaniia pochv. Moskva, Izd-  
vo Mosk. univ., 1964. 347 p. (MIRA 17:12)

TATEVSKII , Vladimir Mikhaylovich; KOROBTSOVA, N.A., red.

[Quantum mechanics and the theory of molecular structure]  
Kvantovaia mekhanika i teoriia stroeniia molekul. Moskva,  
Izd-vo Mosk. univ., 1965. 163 p. (MIRA 18:5)